Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

- 1. (Original) A polytrimethylene terephthalate reinforced resin composition comprising 100 parts by weight of resin components consisting of 99.9 to 50 parts by weight of a polytrimethylene terephthalate resin (A1), 0 to 49.9 parts by weight of a thermoplastic resin (A2) and 0.1 to 20 parts by weight of an epoxy resin (B), and 5 to 300 parts by weight of a crystalline inorganic filler (C).
- 2. (Original) The polytrimethylene terephthalate reinforced resincomposition according to Claim 1, wherein the composition comprises from0.3 to 10 parts by weight of the epoxy resin.
- 3. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to Claim 1 or 2, wherein the composition comprises a part of the resin components grafted on the crystalline inorganic filler in an amount from 0.01 to 5 parts by weight per 100 parts by weight of the crystalline inorganic filler.

- 4. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to Claim 1 any one of Claims 1 to 3, wherein the composition comprises the epoxy resin in a part of the resin components not grafted on the crystalline inorganic filler in an amount from 0.1 to 20% by weight.
- 5. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to <u>Claim 1</u> any one of <u>Claims 1</u> to 4, wherein the composition comprises from 2.5 to 29.7 parts by weight of the thermoplastic resin (A2).
- 6. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to <u>Claim 1</u> any one of <u>Claims 1 to 5</u>, wherein the thermoplastic resin (A2) is a polycarbonate resin.
- 7. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to <u>Claim 1</u> any one of <u>Claims 1 to 6</u>, wherein the crystalline inorganic filler is one or more inorganic fillers selected from the group consisting of wollastonite, talc, mica, kaolin, potassium titanate whiskers, calcium carbonate whiskers and barium sulfate.

- 8. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to <u>Claim 1</u> any one of <u>Claims 1 to 7</u>, wherein the crystalline inorganic filler is wollastonite.
- 9. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to Claim 1 any one of Claims 1 to 8, further comprising a glass fiber (D) in an amount less than the amount of the crystalline inorganic filler (C).
- 10. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to Claim 1 any one of Claims 1 to 9, wherein the composition comprises a part of the resin components grafted on the crystalline inorganic filler and on the glass fiber in an amount from 0.01 to 5 parts by weight per 100 parts by weight of the total of the crystalline inorganic filler and the glass fiber.
- 11. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to <u>Claim 1</u> any one of <u>Claims 1 to 10</u>, wherein the polytrimethylene terephthalate resin has an intrinsic viscosity [□] of 0.60 or more.

- 12. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to <u>Claim 1</u> any one of <u>Claims 1</u> to 11, wherein the epoxy resin (B) is a novolac epoxy resin.
- 13. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to Claim 1 any one of Claims 1 to 12, wherein the epoxy resin (B) is a novolac epoxy resin having an epoxy equivalent from 150 to 250 (/eq.).
- 14. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to Claim 1 any one of Claims 1 to 11, wherein the epoxy resin (B) is a bisphenol A epoxy resin.
- 15. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to Claim 1 any one of Claims 1 to 11 and 14, wherein the epoxy resin (B) is a bisphenol A epoxy resin having an epoxy equivalent from 600 to 3,000 (/eq.).
- 16. (Currently Amended) The polytrimethylene terephthalate reinforced resin composition according to <u>Claim 1</u> any one of <u>Claims 1 to 15</u>, wherein the composition is produced by melt-kneading the polytrimethylene terephthalate resin (A1), the thermoplastic resin (A2) and the epoxy resin

- (B) and then adding the crystalline inorganic filler (C) to the melt-kneaded mixture.
- 17. (Currently Amended) A molded article comprising the polytrimethylene terephthalate reinforced resin composition according to Claim 1 any one of Claims 1 to 16.
- 18. (Original) A molded article as a bath product, a washroom product, a toilet product or a sink product comprising the molded article according to Claim 17 as at least a part of constituent members thereof.
- 19. (Currently Amended) The molded article according to Claim 18, wherein the molded article according to Claim 17 is a washroom counter, a kitchen counter, a bathtub, a wash bowl, a hand-wash bowl, a toilet counter or a cabinet counter top.
- 20. (Currently Amended) The molded article according to <u>Claim 17</u> any one of <u>Claims 17 to 19</u>, wherein a surface of the molded article has a Barcol hardness of 30 or more.